Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	tsushima-masahiro.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 07:38
L2	245	455/77.ccls. and (@ad<"20050329" @rlad<"20050329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 07:41
L4		2 and ("reception quality") and (locat\$4 or position\$4 or GPS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 07:42
L5	0	2 and ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 07:42
L6	47855	pioneer.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2008/02/29 07:43
L7	2	6 and ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 07:43
S4	16	tsushima-masahiro.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 21:25
S5	241	455/77.ccls. and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/02/25 21:32

S6	0	S5 and tun\$4 and ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 21:33
S7	85	tun\$4 and ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 21:33
S8		S7 and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 21:33
S9	2	"20060135098"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:09
S10	7	optimiz\$5 with tun\$4 and ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 12:50
S11	. 1	optimiz\$5 with tun\$4 same ("reception state") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:13
S12	1	optimiz\$5 same tun\$4 same ("reception state") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:14
S13	1	optimiz\$5 same tun\$4 and ("reception state") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:14

						F 4. 3
S14	10	optimiz\$5 same tun\$4 and ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:14
S15	4	optimiz\$5 same tun\$4 same ("reception quality") and GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:15
S16	6	optimiz\$5 with tun\$4 and ("reception quality") and GPS and (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:54
S17	2	S15 and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:54
S18	3	optimiz\$5 and tun\$4 with ("reception quality") and GPS and (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:57
S19	20	optimiz\$5 and tun\$4 and ("reception quality") and GPS and (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:58
S20	13	S19 and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:58
S21	6	optimiz\$5 and ("reception quality") and GPS and (profile\$2 or look\$4 or histor\$4) with tun\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:10

S22	6	optimiz\$5 and ("reception quality") and GPS and tun\$5 with (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:13
S23	9	optimiz\$5 and ("reception quality") and GPS and tun\$5 same (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:13
S24	1	("reception quality") with (locat\$4 or area\$2 or cell\$4) with tun\$5 with (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:23
S25	1	("reception quality") same (locat\$4 or area\$2 or cell\$4) same tun\$5 with (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:24
S26	4	("reception quality") and (locat\$4 or area\$2 or cell\$4) same tun\$5 with (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:24
S27	11	("reception quality") and (locat\$4 or area\$2 or cell\$4) and tun\$5 with (profile\$2 or look\$4 or histor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:26
S28	49	("reception quality") and (locat\$4 or position\$4 or area\$2 or cell\$4) and tun\$5 with (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:28 3
S29	38	S28 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:28

S30	28	S29 and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR .	ON	2008/02/27 14:29
S31	4	"6628930"	IBM_TDB US-PGPUB;	OR	ON	2008/02/27 15:09
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S32	6	("5345602" "5430890" "5590156" "6141536" "6151488" "6272191").PN. OR ("6628930"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 15:10
S33	49	("reception quality") and (locat\$4 or position\$4 or area\$2 or cell\$4) and tun\$5 with (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 20:42
S34	13	("4387469" "4430753").PN. OR ("4476582").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 21:11
S35	15	"4476582"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 08:30
S36	1	S35 and GPS\$2	US-PGPUB; USPAT; USOCR	OR	ON ·	2008/02/28 08:30
S37	0	S36 and rate\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 08:44
S38	5	S35 and rate\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 08:44
S39	0	GPS with ("reception quality") with (deteriot\$4 or los\$4 or distan\$4 or error\$2) and rate\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 09:01
S40	138	GPS and ("reception quality") and (deteriot\$4 or los\$4 or distan\$4 or error\$2) and rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/02/28 09:01

S41	89	S40 and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:02
S42	10	S41 and tun\$5 with (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:02
S43	12	S41 and tun\$5 same (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:17
S44	34	S41 and tun\$5 and (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:21
S45	22	S44 not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:21
S46	26	("20030013469" "5532702" "5535430" "5805113" "5977928" "6097974" "6104745" "6208844" "6208861" "6218984" "6275475" "6298243" "6317608" "6323806" "6505054" "6510313" "6542722" "6546258" "6553210" "6600931" "6658237" "6667723" "6694129" "6694150" "6865376" "6973307").PN. OR ("7181171"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 10:50
S47	20	S46 and GPS\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 10:59
S48	11	S47 and tun\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 10:59

C40		640 - 14 (2005)-42	HE DEDITE	00	ON	2000/02/20 11:00
S49	5	S48 and (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR;	OR	ON	2008/02/28 11:00
			EPO; JPO; DERWENT; IBM_TDB			5. i :
S50	497	tun\$4 with GPS with (position\$4 or locat\$4) and (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2008/02/28 11:04
S51	367	S50 and (@ad<"20040331" @rlad<"20040331")	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:05
S52	24	tun\$4 with GPS with (position\$4 or locat\$4) with (profile\$2 or look\$4 or histor\$4 or condition\$4) and (@ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR,	ON	2008/02/28 11:05
. S53	89	tun\$4 with GPS with (position\$4 or locat\$4) with (profile\$2 or look\$4 or histor\$4 or condition\$4 or distan\$4) and (@ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:06
S56	13	S52 and error\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:09
S57	60	S53 and error\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:09
S58	1	S53 and ("bit error rate" or BER)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:11

	·····					
S59	0	S52 and ("bit error rate" or BER)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:11
S60	0	S51 and ("reception quality") and ("bit error rate" or BER)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:12
S61	0	S51 and (recept\$4 same qualit\$3) and ("bit error rate" or BER)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:13
S62	1	S51 and qualit\$3 and ("bit error rate" or BER)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:13
S63		("reception quality") and (locat\$4 or position\$4 or area\$2 or cell\$4) and ("digital radio") and tun\$5 with (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:53
S64	10	("reception quality") and (locat\$4 or position\$4 or area\$2 or cell\$4) and ("digital radio") and tun\$5 same (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:54
S65	36	("reception quality") and (locat\$4 or position\$4 or area\$2 or cell\$4) and ("digital radio") and tun\$5 and (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:54
S66	7	S64 and (@ad<"20040331" @rlad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2008/02/28 12:56

S67	22	S65 and (@ad<"20040331"	US-PGPUB;	OR	ON	2008/02/28 12:56
		@rlad<"20040331")	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	·		
S68	7	S66 and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:02
S69	. 22	S67 and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:02
S70	15	"4476582"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 13:03
S71	12	S70 and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:03
S72	49	("reception quality") and (locat\$4 or position\$4 or area\$2 or cell\$4) and tun\$5 with (profile\$2 or look\$4 or histor\$4 or condition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:05
S73	42	S72 and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:05

11.1